

# MATERIAL SAFETY DATA SHEET

Trade Name: Cyclo Break Away Icy Blast 12/11.5 oz  
MSDS NO. C-14  
Revision Date: NOT AUTHORIZED  
Date Printed: 05/08/2008

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name: Cyclo Break Away Icy Blast 12/11.5 oz  
Chemical Family: Petroleum Oil Blend  
Synonyms: None  
Emergency Telephone (24 hr.): 24-Hour Emergency Information: CHEMTREC (800) 424-9300  
Supplier: Cyclo Industries 10190 Riverside Dr., Palm Beach Gardens, FL, 33410

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	OSHA TWA	OSHA STEL	OSHA SKIN
Butane 106-97-8	20-30	Not Listed	Not Listed	Not Listed
400/500 Base Solvent 64742-47-8	45-48	500 ppm	Not Listed	Not Listed
Propane 74-98-6	20-30	Not Listed	Not Listed	Not Listed
Hitec 503	2-5	Not Listed	Not Listed	Not Listed

Component	Weight %	OSHA Z PEL	OSHA Z TWA	OSHA Z Ceiling
Butane 106-97-8	20-30	Not Listed	1900 mg/m <sup>3</sup> 800 ppm	Not Listed
400/500 Base Solvent 64742-47-8	45-48	500 ppm	500 ppm	Not Listed
Propane 74-98-6	20-30	1800 mg/m <sup>3</sup> 1000 ppm	1800 mg/m <sup>3</sup> 1000 ppm	Not Listed
Hitec 503	2-5	Not Listed	Not Listed	Not Listed

Component	ACGIH TLV TWA	ACGIH TLV STEL	ACGIH TLV Ceiling
Butane 106-97-8	1000 ppm	Not Listed	Not Listed
400/500 Base Solvent 64742-47-8	Not Listed	Not Listed	Not Listed
Propane 74-98-6	1000 ppm	Not Listed	Not Listed
Hitec 503	Not Listed	Not Listed	Not Listed

## 3. HAZARDS IDENTIFICATION

Emergency Overview: Content under pressure. Keep away from heat, sparks and flame. This material is a skin irritant.

HMIS Classification: Health: 1 Flammability: 2 Physical Hazard: 2  
NFPA Rating: Health: 1 Flammability: 2 Reactivity: 0

## 4. FIRST AID MEASURES

Eye Contact: In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.  
Ingestion: If swallowed, do NOT induce vomiting. Call a physician immediately. Never give anything by mouth to an unconscious person. Get medical attention! If vomiting occurs, keep head lower than hips to prevent aspiration.

## MATERIAL SAFETY DATA SHEET

Trade Name: Cyclo Break Away Icy Blast 12/11.5 oz  
MSDS NO. C-14  
Revision Date: NOT AUTHORIZED  
Date Printed: 05/08/2008

### 4. FIRST AID MEASURES

**Inhalation:** If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.  
**Skin Contact:** Wash with soap and water for 15 minutes. If irritation persists or signs of toxicity occur, seek medical attention. Remove contaminated clothing and shoes, and launder before reuse.

### 5. FIRE FIGHTING MEASURES

#### Flammable Properties

**Flash Point °F(°C):** >100F  
**Flash Point Method:** TAG Closed Cup  
**Flammable Limits in Air - Lower (%):** .9%  
**Flammable Limits in Air - Upper (%):** Not Determined  
**Autoignition Temperature °F(°C):** Not Determined  
**Extinguishing Media:** Carbon dioxide. Foam. Use water spray to keep containers cool that are exposed to heat or flames.  
**Protection Of Fire-Fighters:**  
**Special Fire-Fighting Procedures:** Wear approved positive-pressure self-contained breathing apparatus and protective clothing.  
**Hazardous Combustion Products:** Carbon Dioxide. Carbon Monoxide.  
**Aerosol Comments:** NFPA Level 3 Aerosol

### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Wear appropriate protective clothing and equipment to prevent skin and eye contact.  
**Spill Procedures:** Contain any liquid from leaking containers. Avoid all sources of ignition; heat, sparks and open flames.  
**Action to be taken if material is released or spilled:** Do not puncture or incinerate container. Contents under pressure. Wear proper protective equipment as specified in the protective equipment section. Remove sources of ignition. Leaking containers should be removed to an isolated, well-ventilated area and transferred to other suitable containers. Wipe, scrape, or soak up in an inert material and put in a container intended for flammable materials for disposal.  
**Environmental Precautions:** Do not allow to enter sanitary drains, sewer or surface and subsurface waters. Keep out of lakes, ponds or streams.

### 7. HANDLING AND STORAGE

**Handling and Storage:** Caution: Contents under pressure. Keep away from heat and open flame. Use only in a well ventilated area. Avoid breathing vapors, if exposed to high vapor concentration, leave area at once. Avoid contact with skin and eyes. Do not puncture, incinerate or store above 120 F. Exposure to high temperatures may cause bursting. DO NOT store in the passenger compartment of an automobile.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Use in a well ventilated area. Local exhaust ventilation as necessary to maintain exposures to within applicable limits.  
**Eyes:** Chemical goggles; also wear a face shield if splashing hazard exists.  
**Skin Protection:** Avoid skin contact. Wear protective clothing and gloves.  
**Respiratory Protection:** Do not breath mist or vapor. Use in a well ventilated area. Appropriate respiratory protection shall be worn when applied engineering controls are not adequate to protect against inhalation exposure.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Colorless to pale yellow liquid  
**Odor:** HYDROCARBON ODOR  
**pH Value:** Not Determined  
**Vapor Pressure:** Not Determined  
**Vapor Density (Air=1):** Not Determined  
**Boiling Point (°F):** >300F (liquid)  
**Melting/Freezing Point:** Not determined.  
**Solubility in Water:** MODERATE  
**Bulk Density at 20°C:** Not Determined  
**Molecular Weight:** Mixture  
**Specific Gravity (H2O=1):** .76 @ 60 F (liquid)  
**Viscosity:** Not Determined.  
**Evaporation Rate:** Not Determined

# MATERIAL SAFETY DATA SHEET

Trade Name: Cyclo Break Away Icy Blast 12/11.5 oz  
MSDS NO. C-14  
Revision Date: NOT AUTHORIZED  
Date Printed: 05/08/2008

## 9. PHYSICAL AND CHEMICAL PROPERTIES

VOC Content(%): 49.2%  
Decomposition Temperature: Not Determined

## 10. STABILITY AND REACTIVITY

**Chemical Stability:** Stable under normal conditions of handling, use and transportation.  
**Conditions to Avoid:** Keep away from heat, sparks and flame. Avoid any source of ignition. Do not expose to heat or store at temperatures above 120 F.  
**Materials to Avoid:** Strong oxidizing agents.  
**Hazardous Decomposition Products:** Carbon monoxide. Carbon dioxide. Oxides of carbon and nitrogen, AVOID extreme heat  
**Hazardous Polymerization:** WILL NOT OCCUR

## 11. TOXICOLOGICAL INFORMATION

### Toxicological Data:

Component	Route	Species	Dose
Butane 106-97-8	NA	NA	LC50 658 gm/m <sup>3</sup> /4H
400/500 Base Solvent 64742-47-8	Inhalation	Rats	Not known.
Propane 74-98-6	NA	NA	Not known.
Hitec 503	Inhalation	Rats	Not known.

### Carcinogenicity:

Component	IARC	NTP	OSHA
Butane 106-97-8	Not Listed	Not Listed	Not Listed
400/500 Base Solvent 64742-47-8	Not Listed	Not Listed	Not Listed
Propane 74-98-6	Not Listed	Not Listed	Not Listed
Hitec 503	Not Listed	Not Listed	Not Listed

## 12. ECOLOGICAL INFORMATION

**Remarks:** Ecological testing has not been conducted on this product.

## 13. DISPOSAL CONSIDERATION

**Waste Classification:** Residues and spilled material are hazardous waste due to ignitability.  
**Waste Management:** Not determined.  
**Disposal Method:** Disposal should be made in accordance with federal, state and local regulations.

## 14. TRANSPORTATION INFORMATION

**U.S. DOT:**  
**Proper Shipping Name:** ORM-D CONSUMER COMMODITY  
**Hazard Class:** ORM-D  
**UN/NA Number:** not applicable  
**DOT Packing Group:** Not Applicable

**IMDG:**  
**Proper Shipping Name:** Aerosols (Limited Quantity)

## MATERIAL SAFETY DATA SHEET

Trade Name: Cyclo Break Away Icy Blast 12/11.5 oz  
 MSDS NO. C-14  
 Revision Date: NOT AUTHORIZED  
 Date Printed: 05/08/2008

### 14. TRANSPORTATION INFORMATION

Hazard Class: 2  
 Hazard Subclass: Not determined.  
 UN No.: UN1950  
 Packing Group: NA  
 Marine Pollutant: No

### 15. REGULATORY INFORMATION

**US Federal Regulations:**

Component	SARA 313	SARA 302	TPQ	RQ
Butane 106-97-8	Not Listed	Not Listed	Not Listed	Not Listed
400/500 Base Solvent 64742-47-8	Not Listed	Not Listed	Not Listed	Not Listed
Propane 74-98-6	Not Listed	Not Listed	Not Listed	Not Listed
Hitec 503	Not Listed	Not Listed	Not Listed	Not Listed

**US OSHA HEALTH CLASSIFICATION:** Hazardous per OSHA 29 CFR 1910.1200  
**SARA 311/312 Hazard Categories:** Not Determined.

**State Regulations:**

Component	California Prop. 65 Cancer list	California - Prop 65 Developmental Toxicity	California Prop. 65 Reproductive Female	California Prop. 65 Reproductive Male
Butane 106-97-8	Not Listed	Not Listed	Not Listed	Not Listed
400/500 Base Solvent 64742-47-8	Not Listed	Not Listed	Not Listed	Not Listed
Propane 74-98-6	Not Listed	Not Listed	Not Listed	Not Listed
Hitec 503	Not Listed	Not Listed	Not Listed	Not Listed

Component	New Jersey Right-to-Know List:
Butane 106-97-8	Substance no. 0273 Substance no. 2422 Substance no. 2423 Substance no. 2425 Substance no. 2426 Substance no. 2427 Substance no. 2428 Substance no. 2429 Substance no. 2430
Propane 74-98-6	Substance no. 2422 Substance no. 2423 Substance no. 2425 Substance no. 2426 Substance no. 2427 Substance no. 2428 Substance no. 2429 Substance no. 2430 Substance no. 1594

**U.S. TSCA:** One or more components of this product is not listed on the TSCA Inventory.  
**Canadian Inventory:** One or more components of this product is not listed on the Canadian DSL or NDSL Inventory.

## MATERIAL SAFETY DATA SHEET

**Trade Name:** Cyclo Break Away Icy Blast 12/11.5 oz  
**MSDS NO.** C-14  
**Revision Date:** NOT AUTHORIZED  
**Date Printed** 05/08/2008

### 16. OTHER INFORMATION

**General Notes:**

**Disclaimer:**

Do not allow undiluted material or large quantities to reach groundwater, bodies of water or sewer system. The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.