



# CYCLO<sup>®</sup> INDUSTRIES, INC

## MATERIAL SAFETY DATA SHEET

401 Maplewood Drive, Suite 18, Jupiter, FL 33458  
Phone: (561) 775-9600

First Aid Emergency: (800) 752-7869 or (312) 906-6194  
Shipping Emergency: (800) 424-9300 or (703) 527-3887

This MSDS is being provided to your company for the purpose of providing current health and safety information to your management and for your employees who work with this product. Please read the information on these sheets and then provide this information to those people at your company whose responsibility it is to comply with FEDERAL, STATE and COMMUNITY RIGHT TO KNOW regulations. Also, make this information available to any employee who requests it.

If Cyclo Industries, Inc. considers the formula of this product to be a trade secret, the exact chemical names of the ingredient(s) and the percentages in which they are combined will not appear in the body of this sheet. The exact composition is available upon request to physicians, industrial hygienists and other health professionals.

---

### SECTION 1 - PRODUCT IDENTIFICATION

---

**Product Name:** C-2270 Cyclo<sup>®</sup> Anti-Aging Trans Stop Leak & Cond., 12 fl oz

**Hazardous Material Description:** CFR49 & IMDG: Petroleum Lubricating Oil, N.O.I., Non-hazardous

**HMIS Code:** Health = 0    Flammability = 1    Reactivity = 0

---

### SECTION 2 - PHYSICAL DATA

---

**Boiling Point:** 665°F (352°C)

**Specific Gravity (H<sub>2</sub>O=1):** 0.872

**Vapor Pressure (mm Hg):** N/A

**Vapor Density (AIR=1):** >1.0

**Percent Volatile By Volume (%):** Negligible

**Solubility in Water:** Negligible

**Appearance and Odor:** Amber, oil type liquid

---

### SECTION 3 - HAZARDOUS INGREDIENTS

---

<u>CAS Reg. No.</u>	<u>Material</u>	<u>Percentage</u>	<u>Exposure Limits</u>
64742-65-0	Refined Petroleum Oil	85 – 95	N/A
Mixture	Additive Package	5 – 15	N/A

---

**SECTION 4 - FIRE AND EXPLOSION HAZARD DATA**

---

**Flash Point:** 392°F (200°C)**Method Used:** TCC**Extinguishing Media:** CO<sub>2</sub>, dry chemical, foam and/or water fog**Flammable Limits In Air % By Volume at:**

Lower Explosion Limit (LEL): N/A

Upper Explosion Limit (UEL): N/A

**Special Fire Fighting Procedures:** None**Unusual Fire and Explosion Hazards:** Water may cause frothing.

---

**SECTION 5 - HEALTH HAZARD DATA**

---

**Effects of Overexposure:**

Ingestion: Toxicity is relatively low. There is a risk of aspiration of product into the lungs. On ingestion of large quantities, slight GI discomfort, diarrhea and headache may occur. Small doses may produce irritation and diarrhea.

Inhalation: Low risk of inhalation. Mists above TLV may cause chemical pneumonitis.

Skin Contact: Mild irritant

Eye Contact: Mild irritant

**Carcinogenicity:** NTP Carcinogen = No; IARC Monographs = No; OSHA Regulated = No**First Aid Procedures:**

Ingestion: DO NOT induce vomiting. Get immediate medical assistance.

Skin Contact: Promptly wash the contaminated skin with soap and water for at least 15 minutes. If this product penetrates the clothing, promptly remove the clothing and wash the skin with soap and water.

Inhalation: Move the exposed person to fresh air at once and call emergency medical care. If breathing has stopped, give artificial respiration. If breathing is difficult, give humidified oxygen.

Eye Contact: Immediately wash the eyes with large quantities of room temperature water for at least 15 minutes, occasionally lifting the lower and upper lids. Get medical attention immediately.

---

**SECTION 6 - REACTIVITY DATA**

---

**Stability:** Yes**Conditions to Avoid:** Store below 150°F. Do not apply high heat or flame to container. Keep separate from strong oxidizing agents.**Incompatibility (materials to avoid):** Strong oxidants**Hazardous Decomposition Products:** Carbon dioxide (carbon monoxide under incomplete combustion)**Hazardous Polymerization:** Will not occur

---

## SECTION 7 - SPECIAL PROTECTION INFORMATION

---

**Respiratory Protection:** Normally non required. If high vapor or mist concentrations are expected, use appropriate NIOSH approved respirator for organic vapors and mists.

**Ventilation:**

Local Exhaust Rate: Provide local ventilation to maintain exposure levels below recommended exposure limits.

Special: OSHA TWA 5mg/m<sup>3</sup> Oil Mist

Mechanical (General): In confined spaces, mechanical ventilation may be required.

**Protective Gloves:** Use oil impervious gloves as required.

**Eye Protection:** Use safety goggles or chemical splash goggles as required.

**Other Protective Equipment:** If there is a possibility of exposure of an individual's body to the lubricating oil, wear body-covering work clothes to avoid prolonged or repeated exposure.

**Work/Hygienic Practices:** Eye washes and safety showers in the workplace are recommended.

---

## SECTION 8 - SPILL OR LEAK PROCEDURES

---

**Steps To Be Taken In Case Material Is Released or Spilled:**

SMALL SPILL – Remove sources of heat or ignition, provide adequate ventilation, contain leak absorbent, inert, non-combustible material.

LARGE SPILL: Contain spill, transfer to secure containers. In the event of an uncontrolled material release, the user should determine if release is reportable under applicable laws and regulations.

**Waste Disposal Method:** Dispose of in accordance with local, state and federal regulations. Before attempting clean up, refer to other sections of this MSDS for hazard caution information.

---

## SECTION 9 - SPECIAL PRECAUTIONS

---

**Precautions To Be Taken In Handling and Storage:** Product is a combustible liquid. Keep away from heat and flames. Store below 150°F. Do not apply high heat or flame to container. Keep separate from strong oxidizing agents. Empty containers may contain product residue which could include flammable or explosive vapors.

**Other precautions:** Keep away from children.

---

## SECTION 10 - REGULATORY INFORMATION

---

**SARA TITLE III:**

Section 302:	None
Section 304:	None
Section 311:	Hazard categories – Fire Hazard = Yes
Section 313:	None

**CERCLA:**

Section 311(b)(4) requires discharges of crude oil and petroleum products in any kind or form to waters must immediately be reported to the National Response Center at (800) 424-8802.

**Consumer Product Safety Act General Conformity Certification:** This product is evaluated by Cyclo Industries, Inc., and is certified to be in compliance with the provisions of the Consumer Product Safety Act, the Federal hazardous Substances Act and the Poison Prevention Packaging Act, as applicable. This product was manufactured by Cyclo Industries, Inc. listed in Section I of this MSDS. The date of manufacture is stamped on the product container. No testing is required to certify compliance with the above.

---

**Date entered:** 1/06/09

**Supersedes:** 11/20/08

**Revisions:** Cyclo logo added

11/20/08: Review

01/06/09: Consumer Product Safety Act added

Cyclo Industries, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgement in determining its appropriateness for a particular purpose. Cyclo Industries, Inc. makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, Inc. will not be responsible for damages resulting from use of or reliance upon this information.